HALL-PS

Safety Data Sheet

Date Prepared: 01/05/2017

Section 1. Identification

Manufacturer:

Red Five Communications, LLC. St. Pete Beach, FL 33706 949-500-9471

Product Identification: Superbird Paint Sealant

Suggested Use: Apply to painted vehicle surfaces to enhance gloss and protect from damaging

environmental elements.

Section 2. Hazard(s) Identification

Hazard Class &	Hazard Statement Codes	Pictograms 8
Category Codes		Signal Words
Asp. Tox. 1	H304: May be fatal if swallowed or enters airways	•

Skin Irrit. 2 H315: Causes skin irritation.

Eye Irrit. 2 H319: Causes serious eye irritation



Danger



Precautionary Precautionary Statements Statements Codes P101 If medical advice is needed, have product container or label at hand P102 Keep out of reach of children P103 Read label before use P262+280 Do not get in eyes, on skin, or on clothing; Wear protective gloves/protective clothing/eye protection/face protection. P332+313 If skin irritation occurs: Get medical advice/attention. P337+313 If eye irritation persists get medical advice/attention. P301+P310 IF SWALLOWED: Call a POISON CENTER and get medical advice/attention P405 Store locked up P501 Dispose of contents/container in accordance with

Section 3. Composition/Information on Ingredients

Component Name	CAS Number	EC Number	Percentage	
Water	7732-18-5	231-791-2	40-59%	
Synthetic Isoparaffinic Hydrocarbon	64742-48-9	265-150-3	12-20%	

local/regional/national/international regulations

Amino-Alkoxy Dimethylsiloxanesiloxane	71750-80-6	N/A	6-10%
Amino-functional Polydimethylsiloxane	Proprietary	N/A	3-4%
Polydimethylsiloxane	63148-62-9	N/A	2-5%
Acrylic Polymer	9003-01-4	N/A	0.01-0.05%

Section 4. First Aid Measures

Eyes: Flood with large amounts water at least 20 min.; get immediate medical attention if irritation persists. Can cause irritation, redness, tearing, and blurred vision.

Skin: Flush exposed area with water. Remove all contaminated clothing. Prolonged or repeated contact can cause moderate irritation.

Inhalation: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, calm, and get medical attention. **Oral:** If swallowed, induce vomiting. Vomiting can be induced with syrup of Ipecac. Give fluids until the vomitus is clear. Get medical attention.

Section 5. Fire Fighting Measures

Flash Point: 200°F

Autoignition Temperature: Not determined **Flammability Limits in Air:** Not determined

Extinguishing Media: Carbon dioxide (CO2) water spray. Dry chemical foam can be used to cool fire-

exposed containers.

Fire Fighting Procedure: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Evacuate area in case of overheating or fire. Vapors are heavier than air and may travel to a source of ignition and flash back. Static electricity will accumulate and may ignite vapors.

Hazardous Decomposition Products: May form toxic material, carbon dioxide, carbon monoxide, various hydrocarbons, etc.

Section 6. Accidental Release Measures

Containment/Clean Up: Sections 13 and 15 of this MSDS provide information regarding certain Federal and local requirements. Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate as some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents. Observe all personal protection equipment recommendations described in Sections 5 and 8 of this MSDS. Observe all Federal and government regulations that may apply to the cleanup of this material.

Section 7: Handling and Storage

Handling (Personnel): Avoid contact with strong oxidizing agents. Spilled substance increases risk of slippage.

Storage: Keep container tightly closed.

Section 8: Exposure Controls and Personal Protection

Engineering Controls:

Local Exhaust: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

General exhaust: Recommended

Personal Protective Equipment for Routine Handling:

Eyes: Use proper protection – safety glasses as a minimum. An emergency eye wash station should be accessible to the work area.

Skin: Washing at meal time and end of shift is adequate.

Suitable Gloves: butyl rubber protection gloves

Inhalation: If spraying or other operations that generate an aerosol mist are conducted,

respiratory protection for exposed personnel is recommended.

Precautionary Measures: Avoid eye contact.

Section 9: Physical and Chemical Properties:

Physical Form: Cream Liquid Viscosity: Not determined Color: Opaque Melting Point: Not determined Odor: Slight **Boiling Point:** Not determined

Specific Gravity @ 25C: Not determined Flash Point: 200° F

Solubility in Water: Soluble Vapor Pressure @ 25° C Not determined

VOC content (% by 12-20% pH:

weight)

Section 10: Stability and Reactivity

Chemical Stability: Stable

Hazardous Polymerization: Will not polymerize

Conditions to Avoid: None known

Materials to Avoid: Strong acids, strong oxidizing agents and strong reducing agents.

Section 11: Toxicological Information

Acute Toxicity: Irritation to eyes and skin

Chronic: Unknown

No data available Eyes: Skin: No data available Sensitization:

Not a known sensitizer

No evidence for mutagenicity Mutagenicity:

Carcinogenicity: Contains no ingredients classified as carcinogens by IARC, NTP or OSHA

Reproductive Toxicity: No known reproductive toxicity

Target Organs: None known Aspiration Hazard: No data available

Section 12: Ecological Information

Fish: No data available
Daphnia: No data available
Algae: No data available

Section 13: Disposal Considerations

Landfill and/or incinerate where permitted in compliance with all applicable Federal, State and local government regulations.

Section 14: Transportation Information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

Section 15: Regulatory Information

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200. This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

TSCA Status: All chemical substances in this material are included on or exempted from

listing on the TSCA inventory of chemical substances.

EPA SARA Title III Section 302 Extremely Hazardous

Chemical Listings Substances

Section 304 CERCLA Hazardous None

Substances

Section 312 Hazard Class Acute No

Chronic No Fire No Pressure No Reactive No

None

Section 313 Toxic Chemicals None

Supplemental State

None

Compliance Information

Section 16: Other Information

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. Any material supplied is the sole

responsibility of the user. All materials may present unknown health hazards and we cannot guarantee that the hazards listed herein are the only hazards that exist.						